Table: 5-day running sum statistics for nwna (centroid-lon), organized by model.

PRISM	RC-GFDL	RS-GFDL	RC-MPI	RS-MPI	WC-MPI	WS-MPI	WC-GFDL	WS-C
< 0.01*	< 0.01*	< 0.01*	< 0.01*	< 0.01*	< 0.01*	< 0.01*	< 0.01*	<
	0.15	< 0.01*	< 0.01*	0.087	< 0.01*	< 0.01*	< 0.01*	<
	0.15	< 0.01*	< 0.01*	0.087	< 0.01*	< 0.01*	< 0.01*	<
	< 0.01*	< 0.01*	< 0.01*	0.063	< 0.01*	< 0.01*	< 0.01*	<
_	1 1010111	< 0.01* < 0.01* 0.15 0.15	$< 0.01^*$ $< 0.01^*$ $< 0.01^*$ $< 0.01^*$ $< 0.01^*$ $< 0.01^*$ $< 0.01^*$ $< 0.01^*$ $< 0.01^*$	$< 0.01^*$ $< 0.01^*$ $< 0.01^*$ $< 0.01^*$ $< 0.01^*$ $< 0.01^*$ $< 0.01^*$ $< 0.01^*$ $< 0.01^*$ $< 0.01^*$	$< 0.01^*$ $< 0.01^*$ $< 0.01^*$ $< 0.01^*$ $< 0.01^*$ $< 0.01^*$ $< 0.01^*$ $< 0.087$ $0.15$ $< 0.01^*$ $< 0.01^*$ $< 0.01^*$ $< 0.087$	$<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$	$<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$	$<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$ $<0.01^*$

Time periods: 1981 - 2001. 

Volume: 4. 

Threshold: 25 mm. 

All tests significant at  $\alpha = 0.05$ . 

Anderson-Darling Normality Test. \* denotes the distribution is not a normal distribution. 

Welch Two-Sample T-Test. \* denotes the paired sample distribution means are significantly different. 

Tukey Honestly Significant Difference Test. \* denotes the paired sample distribution means are significantly different. 

Wilcoxon Mann-Whitney U Test. \* denotes the sample distributions are significantly different.