

Table: Statistics for variable (intensity-25) and region (cna-s). Model N is the average 34-member objects.

Statistic	CRU	PRISM	CESMLE(C)	CESMLE(S1)	CESMLE(S2)	CESMLE(S3)
N	20	24	11.24	8.26	4.94	4.12
Mean	1.1	1.1	1.09	1.09	1.09	1.08
SD	0.088	0.076	0.07	0.08	0.11	0.09
10 th P	1.02	1.00	1.01	1.00	0.98	1.00
Q1	1.07	1.02	1.05	1.03	1.02	1.04
Median	1.1	1.1	1.09	1.08	1.06	1.08
Q2	1.16	1.14	1.14	1.13	1.14	1.13
90 th P	1.21	1.16	1.18	1.19	1.21	1.17
¹ Normality p	0.23	0.11	< 0.01 *	< 0.01 *	< 0.01 *	< 0.01 *
² Welch p		0.09	0.12 0.53	0.25	0.59	0.17
³ Tukey p		0.52	0.52 0.99	0.90	0.99	0.76
⁴ WMW p		0.12	0.10 0.38	0.07	0.03 *	0.09

All tests significant at $\alpha = 0.05$.

¹ Shapiro-Wilk Normality Test. * denotes the distribution is not a normal distribution.

² Welch Two-Sample T-Test. * denotes the paired sample distribution means are significantly different.

³ Tukey Honestly Significant Difference Test. * denotes the paired sample distribution means are significantly different.

⁴ Wilcoxon Mann-Whitney U Test. * denotes the sample distributions are significantly different.