

Table: Statistics for variable (axis-ang) and region (ena-n). Model N is the average 34-member objects.

Statistic	CRU	PRISM	CESMLE(C)	CESMLE(S1)	CESMLE(S2)	CESMLE(S3)
N	13	11	9.41	7.71	3.91	2.50
Mean	23	14	15.91	12.96	15.41	13.65
SD	49	38	32.76	29.02	35.56	29.04
10 th P	-37.88	-29.39	-9.65	-4.66	-21.65	-13.63
Q1	0.00	-5.41	0.00	0.00	0.00	0.00
Median	0	0	7.86	0.00	2.26	0.00
Q2	64.23	41.20	38.80	29.12	42.19	34.69
90 th P	86.40	63.73	53.77	51.48	59.25	45.67
¹ Normality p	0.29	0.17	< 0.01 *	< 0.01 *	< 0.01 *	< 0.01 *
² Welch p		0.60	0.62 0.84	0.25	0.89	0.54
³ Tukey p		0.98	0.97 1.00	0.88	1.00	0.99
⁴ WMW p		0.57	0.71 0.51	0.09	0.75	0.29

All tests significant at $\alpha = 0.05$.

¹ Shapiro-Wilk Normality Test. * denotes the distribution is not a normal distribution.

² Welch Two-Sample T-Test. * denotes the paired sample distribution means are significantly different.

³ Tukey Honestly Significant Difference Test. * denotes the paired sample distribution means are significantly different.

⁴ Wilcoxon Mann-Whitney U Test. * denotes the sample distributions are significantly different.