

Table: Statistics for variable (centroid-lat) and region (ena-n). Model N is the average 34-member objects.

Statistic	CRU	PRISM	CESMLE(C)	CESMLE(S1)	CESMLE(S2)	CESMLE(S3)
N	13	11	9.41	7.71	3.91	2.50
Mean	42	42	42.24	42.08	42.26	42.34
SD	2.2	2.4	1.82	1.94	1.98	1.91
10 th P	39.23	39.75	39.49	39.14	39.36	39.20
Q1	39.44	40.45	41.03	40.55	40.76	41.03
Median	42	43	42.53	42.54	42.56	42.55
Q2	43.51	44.08	43.85	43.85	43.81	43.85
90 th P	44.61	45.40	44.32	44.46	44.77	44.74
¹ Normality p	0.05	0.66	<0.01*	<0.01*	<0.01*	0.07
² Welch p		0.50	0.43 0.84	0.31	0.95	0.68
³ Tukey p		0.96	0.93 1.00	0.92	1.00	1.00
⁴ WMW p		0.43	0.42 0.84	0.36	0.99	0.81

All tests significant at $\alpha = 0.05$.

¹ Shapiro-Wilk Normality Test. * denotes the distribution is not a normal distribution.

² Welch Two-Sample T-Test. * denotes the paired sample distribution means are significantly different.

³ Tukey Honestly Significant Difference Test. * denotes the paired sample distribution means are significantly different.

⁴ Wilcoxon Mann-Whitney U Test. * denotes the sample distributions are significantly different.