

Table: Statistics for variable (centroid-lat) and region (ena-n). Model N is the average 34-member objects.

Statistic	CRU	PRISM	CESMLE(C)	CESMLE(S1)	CESMLE(S2)	CESMLE(S3)
N	15	11	10.29	5.71	2.15	0.91
Mean	41	41	42.31	42.79	43.26	44.01
SD	2.1	2	1.97	1.91	1.87	1.47
10 th P	38.56	38.81	39.14	39.91	39.99	43.66
Q1	39.59	40.02	41.03	41.58	42.91	43.85
Median	40	41	42.80	43.18	43.85	43.85
Q2	42.36	41.86	43.85	44.32	44.80	44.80
90 th P	44.04	42.91	44.80	44.80	44.80	44.80
¹ Normality p	0.37	0.79	< 0.01 *	< 0.01 *	< 0.01 *	< 0.01 *
² Welch p		0.88	0.03 *	0.01 *	< 0.01 *	< 0.01 *
³ Tukey p		1.00	0.08 0.11 0.34	0.06	< 0.01 *	< 0.01 *
⁴ WMW p		0.80	0.02 *	< 0.01 *	< 0.01 *	< 0.01 *
			0.04 *			

All tests significant at $\alpha = 0.05$.

¹ Shapiro-Wilk Normality Test. * denotes the distribution is not a normal distribution.

² Welch Two-Sample T-Test. * denotes the paired sample distribution means are significantly different.

³ Tukey Honestly Significant Difference Test. * denotes the paired sample distribution means are significantly different.

⁴ Wilcoxon Mann-Whitney U Test. * denotes the sample distributions are significantly different.