

Table: Statistics for variable (volume) and region (ena-n). Model N is the average 34-member objects.

Statistic	CRU	PRISM	CESMLE(C)	CESMLE(S1)	CESMLE(S2)	CESMLE(S3)
N	15	11	10.29	5.71	2.15	0.91
Mean	24	28	105.29	188.00	43.40	8.16
SD	25	22	367.54	1912.03	210.49	6.32
10 th P	4.40	5.00	4.00	4.00	4.00	4.00
Q1	8.00	6.50	6.00	5.00	5.00	4.00
Median	13	23	12.00	8.50	8.00	6.00
Q2	27.50	47.00	44.50	18.75	17.00	9.00
90 th P	58.80	55.00	164.80	68.90	44.80	14.00
¹ Normality p	< 0.01 *	0.13	< 0.01 *	< 0.01 *	< 0.01 *	< 0.01 *
² Welch p	0.65		< 0.01 *	0.55	0.05	< 0.01 *
³ Tukey p	1.00		1.00	0.95	1.00	1.00
⁴ WMW p	0.55		1.00	< 0.01 *	< 0.01 *	< 0.01 *
			0.68			

All tests significant at $\alpha = 0.05$.

¹ Shapiro-Wilk Normality Test. * denotes the distribution is not a normal distribution.

² Welch Two-Sample T-Test. * denotes the paired sample distribution means are significantly different.

³ Tukey Honestly Significant Difference Test. * denotes the paired sample distribution means are significantly different.

⁴ Wilcoxon Mann-Whitney U Test. * denotes the sample distributions are significantly different.