

Table: Statistics for variable (intensity-10) and region (ena-s). Model N is the average 34-member objects.

Statistic	CRU	PRISM	CESMLE(C)	CESMLE(S1)	CESMLE(S2)	CESMLE(S3)
N	16	13	9.00	5.09	1.74	0.71
Mean	0.99	1	1.03	1.01	1.02	1.02
SD	0.064	0.059	0.07	0.07	0.08	0.07
10 th P	0.93	0.99	0.95	0.93	0.95	0.95
Q1	0.95	1.01	0.99	0.98	0.98	0.98
Median	1	1	1.03	1.02	1.02	1.02
Q2	1.04	1.07	1.06	1.05	1.05	1.06
90 th P	1.04	1.12	1.09	1.09	1.11	1.11
¹ Normality p	0.77	0.77	< 0.01 *	< 0.01 *	0.01 *	0.75
² Welch p		0.04 *	0.08	0.06	0.73	0.93
³ Tukey p		0.44	0.32	0.45	1.00	1.00
⁴ WMW p		0.06	0.51	0.09	0.74	0.76
			0.95			
			0.06			
			0.23			

All tests significant at $\alpha = 0.05$.

¹ Shapiro-Wilk Normality Test. * denotes the distribution is not a normal distribution.

² Welch Two-Sample T-Test. * denotes the paired sample distribution means are significantly different.

³ Tukey Honestly Significant Difference Test. * denotes the paired sample distribution means are significantly different.

⁴ Wilcoxon Mann-Whitney U Test. * denotes the sample distributions are significantly different.