

Table: Statistics for variable (volume) and region (ena-s). Model N is the average 34-member objects.

Statistic	CRU	PRISM	CESMLE(C)	CESMLE(S1)	CESMLE(S2)	CESMLE(S3)
N	16	13	9.00	5.09	1.74	0.71
Mean	157	177	108.81	88.07	40.83	12.00
SD	559	466	355.92	324.83	106.25	8.77
10 th P	5.00	4.00	4.00	4.00	4.80	4.30
Q1	7.50	4.00	6.00	6.00	6.50	5.75
Median	9.5	11	12.00	10.00	10.00	7.50
Q2	17.00	112.00	40.75	31.00	24.50	15.50
90 th P	71.00	214.40	174.00	129.80	92.80	26.50
¹ Normality p	< 0.01 *	< 0.01 *	< 0.01 *	< 0.01 *	< 0.01 *	< 0.01 *
² Welch p		0.92	0.74	0.52	0.01 *	< 0.01 *
³ Tukey p		1.00	0.61	0.99	0.70	0.74
⁴ WMW p		0.98	0.99	0.18	0.39	0.06
			0.98			
			0.58			
			0.68			

All tests significant at $\alpha = 0.05$.

¹ Shapiro-Wilk Normality Test. * denotes the distribution is not a normal distribution.

² Welch Two-Sample T-Test. * denotes the paired sample distribution means are significantly different.

³ Tukey Honestly Significant Difference Test. * denotes the paired sample distribution means are significantly different.

⁴ Wilcoxon Mann-Whitney U Test. * denotes the sample distributions are significantly different.