

Table: Statistics for variable (area) and region (wna-n). Model N is the average 34-member objects.

Statistic	CRU	PRISM	CESMLE(C)	CESMLE(S1)	CESMLE(S2)	CESMLE(S3)
N	11	15	9.79	9.00	8.85	6.18
Mean	3.3	3.1	5.50	6.22	5.08	3.52
SD	2.7	3	9.65	11.09	7.99	3.92
10 th P	1.00	1.08	1.00	1.00	1.00	1.00
Q1	1.00	1.25	1.40	1.60	1.50	1.63
Median	2.2	1.9	2.30	2.50	2.50	2.45
Q2	5.40	3.50	4.50	4.97	5.20	3.68
90 th P	6.40	6.56	11.98	15.75	11.30	6.63
¹ Normality p	0.02*	<0.01*	<0.01*	<0.01*	<0.01*	<0.01*
² Welch p		0.89	0.03* 0.02*	0.39	0.55	<0.01*
³ Tukey p		1.00	0.96 0.91	0.91	0.99	0.11
⁴ WMW p		0.79	0.48 0.40	0.23	0.25	0.93

All tests significant at $\alpha = 0.05$.

¹ Shapiro-Wilk Normality Test. * denotes the distribution is not a normal distribution.

² Welch Two-Sample T-Test. * denotes the paired sample distribution means are significantly different.

³ Tukey Honestly Significant Difference Test. * denotes the paired sample distribution means are significantly different.

⁴ Wilcoxon Mann-Whitney U Test. * denotes the sample distributions are significantly different.